Anti-ACK [ACK 1F4/9]

Catalogue number: 151411 Sub-type: Primary antibody

Images:

Contributor

Inventor:

Institute: Cancer Research UK, London Research Institute: Lincoln's Inn Fields

Images:

Tool details

*FOR RESEARCH USE ONLY

Name: Anti-ACK [ACK 1F4/9]

ols.org Alternate name: Tyrosine Kinase Non Receptor; Activated Cdc42-Associated Kinase; ACK1

Class: Monoclonal

Conjugate: Unconjugated

Description: ACK is a non-receptor tyrosine kinase, linked to cancer, involved in clathrin-mediated

endocytosis. It binds activated cdc42 and inhibits its GTPase activity.

Purpose: Parental cell: Organism: Tissue: Model: Gender: Isotype: IgM

Reactivity: Drosophila

Selectivity: Host: Mouse

Immunogen: ACK peptides (drosophila)

Immunogen UNIPROT ID:

Sequence:

Growth properties: Production details:

Formulation:

Recommended controls: Bacterial resistance: Selectable markers:

Additional notes:

Target details

Target: ACK

Target alternate names:

Target background: ACK is a non-receptor tyrosine kinase, linked to cancer, involved in clathrinmediated endocytosis. It binds activated cdc42 and inhibits its GTPase activity.

Molecular weight:

Ic50:

Applications

Application: ELISA; WB

rormat: Liquid
Concentration: 0.9-1.1 mg/ml
Passage number:
Growth medium:
Temper **Temperature: Atmosphere:** Volume:

Storage medium:

Storage buffer: PBS with 0.02% azide Storage conditions: -15° C to -25° C Shipping conditions: Shipping at 4° C

Related tools

Related tools:

References

References: Berg et al. 2010. J Med Virol. 82(9):1594-9. PMID: 20648615. ; Enterovirus markers and serum CXCL10 in children with type 1 diabetes.; Montano et al. 1989. J Virol. 63(7):3128-34. PMID: 2542620.; Monoclonal antibody analysis of simian virus 40 small t-antigen expression in infected and

transformed cells.; Montano et al. 1984. J Virol. 51(3):760-7. PMID: 6088798.; Monoclonal antibody to simian virus 40 small t.

