# Anti-Actin8 [mAbGPa]

Catalogue number: 153301 Sub-type: Primary antibody

Images:

#### Contributor

Inventor:

**Institute:** University of Georgia

Images:

### **Tool details**

#### \*FOR RESEARCH USE ONLY

Name: Anti-Actin8 [mAbGPa]

Alternate name: ACT8

Class: Monoclonal

Conjugate: Unconjugated

ZancerTools.org Description: Actins are highly conserved proteins that are involved in various types of cell motility and are ubiquitously expressed in all eukaryotic cells. Essential component of cell cytoskeleton; plays an important role in cytoplasmic streaming, cell shape determination, cell division, organelle movement and extension growth. This is considered as one of the vegetative actins. This mouse monoclonal antibody was generated against plant actin ACT8 and recognizes all tested subclasses of plant actins (arabidopsis ACT1, 2, 3, 4, 7, 8, 11, 12) and Dictyosetelium actin.

**Purpose:** Parental cell: Organism: Tissue: Model: Gender:

**Isotype:** IgG2b

Reactivity: Arabidopsis

Selectivity: Host: Mouse

**Immunogen:** Purified Arabidopsis actin (ACT8)

**Immunogen UNIPROT ID:** 

Sequence:

**Growth properties: Production details:** 

Formulation:

**Recommended controls: Bacterial resistance:** Selectable markers: Additional notes:

## Target details

Target: ArabidopsisActin (ACT8)

#### **Target alternate names:**

**Target background:** Actins are highly conserved proteins that are involved in various types of cell motility and are ubiquitously expressed in all eukaryotic cells. Essential component of cell cytoskeleton; plays an important role in cytoplasmic streaming, cell shape determination, cell division, organelle movement and extension growth. This is considered as one of the vegetative actins. This mouse monoclonal antibody was generated against plant actin ACT8 and recognizes all tested subclasses of ancer Tools.org plant actins (arabidopsis ACT1, 2, 3, 4, 7, 8, 11, 12) and Dictyosetelium actin.

Molecular weight: 45 kDa

Ic50:

# **Applications**

Application: ELISA; IHC; IF; WB

**Application notes:** 

## Handling

Format: Liquid

Concentration: 1 mg/ml

Passage number: **Growth medium:** Temperature: **Atmosphere:** Volume:

Storage medium:

Storage buffer: PBS with 0.02% azide Storage conditions: -15° C to -25° C Shipping conditions: Shipping at 4° C

### Related tools

#### Related tools:

### References

**References:** Kandasamy et al. 2012. Plant Cell. 24(5):2041-57. PMID: 22589468. ; Plant vegetative and animal cytoplasmic actins share Fn competence for spatial development with protists. ; Kandasamy et al. 2001. Plant Cell. 13(7):1541-54. PMID: 11449050. ; One plant actin isovariant, ACT7, is induced by auxin and required for normal callus formation. ; Kandasamy et al. 1999. Plant J. 18(6):681-91. PMID: 10417720. ; The late pollen-specific actins in angiosperms.

