Anti-BarX2 [BAR X2 8A7/1]

Catalogue number: 151271 Sub-type: Primary antibody

Images:

Contributor

Inventor:

Institute: Cancer Research Technology

Images:

Tool details

*FOR RESEARCH USE ONLY

Jancer Tools.org Name: Anti-BarX2 [BAR X2 8A7/1]

Alternate name:

Class: Monoclonal

Conjugate: Unconjugated

Description: BarX2 is a tumour suppressor gene that encodes for a transcription factor known to

regulate the expression of cell adhesion molecules in the mouse.

Purpose: Parental cell: Organism: Tissue: Model: Gender:

Isotype: IgG1

Reactivity: Human

Selectivity: Host: Mouse

Immunogen: MBP-tagged BarX2

Immunogen UNIPROT ID:

Sequence:

Growth properties: Production details:

Formulation:

Recommended controls: Bacterial resistance: Selectable markers:

Additional notes:

Target details

Target: BarX2

Target alternate names:

Target background: BarX2 is a tumour suppressor gene that encodes for a transcription factor known to regulate the expression of cell adhesion molecules in the mouse.

Molecular weight:

Ic50:

Applications

Application: ELISA; IHC; IF; WB

rormat: Liquid
Concentration: 1 mg/ml
Passage number:
Growth medium:
Temper **Temperature: Atmosphere:** Volume:

Storage medium:

Storage buffer: PBS with 0.02% azide Storage conditions: -15° C to -25° C Shipping conditions: Shipping at 4° C

Related tools

Related tools:

References

References: Verver et al. 2013. Cell Death Dis. 4:e749. PMID: 23907463.; Role for rodent Smc6 in pericentromeric heterochromatin domains during spermatogonial differentiation and meiosis.; Yamaguchi et al. 2013. Cell Res. 23(3):329-39. PMID: 23399596.; Dynamics of 5-methylcytosine and 5-hydroxymethylcytosine during germ cell reprogramming.; Heaney et al. 2012. Development. 139(9):1577-86. PMID: 22438569.; Germ cell pluripotency, premature differentiation and susceptibility to testicular teratomas in mice.; Tarsounas et al. 2004. Cell. 117(3):337-47. PMID: 15109494.; Telomere maintenance requires the RAD51D recombination/repair protein.

