Anti-Beta3 [7D1]

Catalogue number: 152635 Sub-type: Primary antibody Images:

Contributor

Inventor: Institute: A*STAR Accelerate Technologies Pte Ltd Images:

Tool details

***FOR RESEARCH USE ONLY**

Name: Anti-Beta3 [7D1]

Alternate name:

Class: Monoclonal

Conjugate: Unconjugated

ZancerTools.org Description: Voltage-sensitive calcium channels (VSCCs) mediate the entry of calcium ions into excitable cells and are also involved in a variety of calcium-dependent processes, including muscle contraction, hormone or neurotransmitter release, gene expression, cell motility, cell division and cell death. Long-lasting (L-type) calcium channels belong to the 'high-voltage activated' (HVA) group. They are blocked by dihydropyridines (DHP), phenylalkylamines, benzothiazepines, and by omega-agatoxin-IIIA (ome...

Purpose: Marker Parental cell: **Organism:** Tissue: Model: Gender: Isotype: IgG1 Reactivity: Human Selectivity: Host: Mouse Immunogen: GST-beta3 fusion protein Immunogen UNIPROT ID: Sequence: Growth properties: Production details: Formulation:

Recommended controls: Bacterial resistance: Selectable markers: Additional notes:

Target details

Target: Beta3 subunit of high-voltage-gated calcium channel

Target alternate names:

Target background: Voltage-sensitive calcium channels (VSCCs) mediate the entry of calcium ions into excitable cells and are also involved in a variety of calcium-dependent processes, including muscle contraction, hormone or neurotransmitter release, gene expression, cell motility, cell division and cell death. Long-lasting (L-type) calcium channels belong to the 'high-voltage activated' (HVA) group. They are blocked by dihydropyridines (DHP), phenylalkylamines, benzothiazepines, and by omega-agatoxin-Cancer Tools.org IIIA (ome...

Molecular weight:

Ic50:

Applications

Application: FACS ; IF ; WB **Application notes:**

Handling

Format: Liquid Concentration: 0.9-1.1 mg/ml Passage number: Growth medium: Temperature: Atmosphere: Volume: Storage medium: Storage buffer: PBS with 0.02% azide Storage conditions: -15° C to -25° C Shipping conditions: Shipping at 4° C

Related tools

Related tools:

References

References:

