# Anti-CD11a (Integrin Subunit Alpha L) [SPVL12]

Catalogue number: 154790 Sub-type: Primary antibody Images:

### Contributor

Inventor: Institute: Netherlands Cancer Institute Images:

### **Tool details**

#### **\*FOR RESEARCH USE ONLY**

Name: Anti-CD11a (Integrin Subunit Alpha L ) [SPVL12] ancerTo

Class: Monoclonal

Conjugate: Unconjugated

**Description:** ITGAL encodes the integrin alpha L chain. Integrins are heterodimeric integral membrane proteins composed of an alpha chain and a beta chain. This I-domain containing alpha integrin combines with the beta 2 chain (ITGB2) to form the integrin lymphocyte function-associated antigen-1 (LFA-1), which is expressed on all leukocytes. LFA-1 plays a central role in leukocyte intercellular adhesion through interactions with its ligands, ICAMs 1-3 (intercellular adhesion molecules 1 through 3), and also functions in lymphocyte costimulatory signalling.

**Purpose:** Parental cell: **Organism:** Tissue: Model: Gender: Isotype: Reactivity: Human Selectivity: Host: Mouse Immunogen: Immunization of BALB/c mice with cells of the T4+T8- cytotoxic T lymphocyte clone HG-38 Immunogen UNIPROT ID: Sequence: Growth properties: Production details:

Formulation: **Recommended controls: Bacterial resistance:** Selectable markers: Additional notes:

# **Target details**

Target: CD11a

#### **Target alternate names:**

**Target background:** ITGAL encodes the integrin alpha L chain. Integrins are heterodimeric integral membrane proteins composed of an alpha chain and a beta chain. This I-domain containing alpha integrin combines with the beta 2 chain (ITGB2) to form the integrin lymphocyte function-associated antigen-1 (LFA-1), which is expressed on all leukocytes. LFA-1 plays a central role in leukocyte intercellular adhesion through interactions with its ligands, ICAMs 1-3 (intercellular adhesion molecules 1 through 3), and also functions in lymphocyte costimulatory signalling. 

Molecular weight: 126 kDa

Ic50:

# **Applications**

Application: FACS ; IP **Application notes:** 

# Handling

Format: Liquid Concentration: 0.9-1.1 mg/ml Passage number: Growth medium: **Temperature:** Atmosphere: Volume: Storage medium: Storage buffer: PBS with 0.02% azide Storage conditions: -15° C to -25° C Shipping conditions: Shipping at 4° C

## Related tools

**Related tools:** 

### References

References: Keizer et al. 1988. J Immunol. 140(5):1393-400. PMID: 2450126.

Cancer Tools.org