

Anti-CD21 [BU81]

Catalogue number: 153225

Sub-type:

Images:

Contributor

Inventor: Margaret Goodall

Institute: University of Birmingham

Images:

Tool details

***FOR RESEARCH USE ONLY**

Name: Anti-CD21 [BU81]

Alternate name: Complement receptor type 2; CR2; complement C3d receptor, C3DR, Epstein-Barr virus receptor

Class: Monoclonal

Conjugate: Unconjugated

Description: Cluster of differentiation 21 (CD21) is a protein encoded by the CR2 gene in humans. It is involved in the complement system and binds to iC3b (an inactive derivative of C3b). B cells are known to have CR2 receptors on their surfaces allowing the complement system to act in B-cell maturation and activation. Genetic variations are associated with susceptibility to systemic lupus erythematosus type 9 (SLEB9) which is a chronic autoimmune disease with an inflammatory, and often febrile multisystemic disorder of connective tissue characterized principally by involvement of the skin, joints, kidneys, and serosal membranes.

Purpose:

Parental cell:

Organism:

Tissue:

Model:

Gender:

Isotype: IgG1

Reactivity: Human

Selectivity:

Host: Mouse

Immunogen: Follicular dendritic cells and germinal centre B cells

Immunogen UNIPROT ID:

Sequence:

Growth properties:

Production details:
Formulation:
Recommended controls:
Bacterial resistance:
Selectable markers:
Additional notes:

Target details

Target: CD21

Target alternate names:

Target background: Cluster of differentiation 21 (CD21) is a protein encoded by the CR2 gene in humans. It is involved in the complement system and binds to iC3b (an inactive derivative of C3b). B cells are known to have CR2 receptors on their surfaces allowing the complement system to act in B-cell maturation and activation. Genetic variations are associated with susceptibility to systemic lupus erythematosus type 9 (SLEB9) which is a chronic autoimmune disease with an inflammatory, and often febrile multisystemic disorder of connective tissue characterized principally by involvement of the skin, joints, kidneys, and serosal membranes.

Molecular weight:

Ic50:

Applications

Application: IHC
Application notes:

Handling

Format: Liquid
Concentration: 0.9-1.1mg/ml
Passage number:
Growth medium:
Temperature:
Atmosphere:
Volume:
Storage medium:
Storage buffer: PBS with 0.02% azide
Storage conditions: -15° C to -25° C
Shipping conditions: Shipping at 4° C

Related tools

Related tools:

References

References: Leucocyte Typing VI, (1998): edited by T. Kishimoto, Garland Publishing, New York. ; Ling et al. 1998. Clin Exp Immunol. 113(3):360-6. PMID: 9737663. ; Ling et al. 1998. Clin Exp Immunol. 113(3):360-6. PMID: 9737663. ; Buescher et al. 1991. Public Health Rep. 106(3):333-8. PMID: 1905057.

CancerTools.org