Anti-CD22 [To15]

Catalogue number: 151792 Sub-type: Primary antibody

Images:

Contributor

Inventor: Jacqueline Cordell Institute: University of Oxford

Images:

Tool details

*FOR RESEARCH USE ONLY

Name: Anti-CD22 [To15]

Alternate name:

Class: Monoclonal

Conjugate: Unconjugated

ZancerTools.org Description: SIGLEC-2 is first expressed in the cytomplasm of pre- and pro- B cells. SIGLEC-2 is broadly expressed in normal and neoplastic B cells and absent from other leucocytes and tissues. SIGLEC-2 is a member of the immunoglobulin superfamily and serves as an adhesion receptor for sialic acid-bearing ligands expressed on erythrocytes and all leukocyte classes. It also associates with tyrosine kinases and play a role in signal transduction and B-cell activation. SIGLEC-2 is strongly expressed in hairy cell leukaemias.

Purpose: Parental cell: Organism: Tissue: Model: Gender:

Isotype: IgG2b kappa Reactivity: Human

Selectivity: **Host:** Mouse

Immunogen: Tonsil cells **Immunogen UNIPROT ID:**

Sequence:

Growth properties: Production details:

Formulation:

Recommended controls: Bacterial resistance: Selectable markers: **Additional notes:**

Target details

Target: CD22

Target alternate names:

Target background: SIGLEC-2 is first expressed in the cytomplasm of pre- and pro- B cells. SIGLEC-2 is broadly expressed in normal and neoplastic B cells and absent from other leucocytes and tissues. SIGLEC-2 is a member of the immunoglobulin superfamily and serves as an adhesion receptor for sialic acid-bearing ligands expressed on erythrocytes and all leukocyte classes. It also associates with tyrosine kinases and play a role in signal transduction and B-cell activation. SIGLEC-2 is strongly Cancer Tools.org expressed in hairy cell leukaemias.

Molecular weight:

Ic50:

Applications

Application: FACS **Application notes:**

Handling

Format: Liquid

Concentration: 1 mg/ml

Passage number: **Growth medium:** Temperature: **Atmosphere:** Volume:

Storage medium:

Storage buffer: PBS with 0.02% azide Storage conditions: -15° C to -25° C Shipping conditions: Shipping at 4° C

Related tools

Related tools:

References

References: Myones BL, et al., J Clin Invest. 1988 (2):640-51.

