

# Anti-CD8 alpha chain [OX8]

**Catalogue number:** 156564

**Sub-type:**

**Images:**

## Contributor

**Inventor:**

**Institute:** Medical Research Council; University of Oxford

**Images:**

## Tool details

**\*FOR RESEARCH USE ONLY**

**Name:** Anti-CD8 alpha chain [OX8]

**Alternate name:**

**Class:** Monoclonal

**Conjugate:** Unconjugated

**Description:** The antibody recognises subset of rat peripheral T cells that possess suppressor and cytotoxic activities. antibody labels all peripheral T cells that are unlabelled by W3/25. 90% of thymocytes are labelled by both Antibodies. NK cells express the OX-8 antigen.

**Purpose:**

**Parental cell:**

**Organism:**

**Tissue:**

**Model:**

**Gender:**

**Isotype:**

**Reactivity:** Rat

**Selectivity:**

**Host:** Mouse

**Immunogen:** High molecular weight rat thymocyte glycoproteins

**Immunogen UNIPROT ID:**

**Sequence:**

**Growth properties:**

**Production details:**

**Formulation:**

**Recommended controls:** IgG1

**Bacterial resistance:**

**Selectable markers:**

**Additional notes:**

## Target details

**Target:** CD8 alpha chain

**Target alternate names:**

**Target background:** The antibody recognises subset of rat peripheral T cells that possess suppresser and cytotoxic activities. antibody labels all peripheral T cells that are unlabelled by W3/25. 90% of thymocytes are labelled by both Antibodies. NK cells express the OX-8 antigen.

**Molecular weight:**

**Ic50:**

## Applications

**Application:** FACS ; IHC

**Application notes:**

## Handling

**Format:** Liquid

**Concentration:**

**Passage number:**

**Growth medium:**

**Temperature:**

**Atmosphere:**

**Volume:**

**Storage medium:**

**Storage buffer:**

**Storage conditions:**

**Shipping conditions:** Shipping at 4° C

## Related tools

**Related tools:**

## References

**References:** Mason et al. 1980. Biochem J. 187(1):1-20. PMID: 6967725.

CancerTools.org