

Anti-CEA [337]

Catalogue number: 153381

Sub-type: Primary antibody

Images:

Contributor

Inventor: Lindy Durrant

Institute: University of Nottingham

Images:

Tool details

***FOR RESEARCH USE ONLY**

Name: Anti-CEA [337]

Alternate name: CEACAM5; CEA

Class: Monoclonal

Conjugate: Unconjugated

Description: Cell surface glycoprotein that plays a role in cell adhesion and in intracellular signaling. Receptor for E.coli Dr adhesins, found in adenocarcinomas of endodermally derived digestive system epithelium and fetal colon. Belongs to the immunoglobulin superfamily, CEA family- contains 7 Ig-like (immunoglobulin-like) domains.

Purpose:

Parental cell:

Organism:

Tissue:

Model:

Gender:

Isotype:

Reactivity: Human

Selectivity:

Host: Mouse

Immunogen: CEA

Immunogen UNIPROT ID:

Sequence:

Growth properties:

Production details:

Formulation:

Recommended controls:

Bacterial resistance:

Selectable markers:

Additional notes:

Target details

Target: CEA

Target alternate names:

Target background: Cell surface glycoprotein that plays a role in cell adhesion and in intracellular signaling. Receptor for E.coli Dr adhesins, found in adenocarcinomas of endodermally derived digestive system epithelium and fetal colon. Belongs to the immunoglobulin superfamily, CEA family- contains 7 Ig-like (immunoglobulin-like) domains.

Molecular weight:

Ic50:

Applications

Application: ELISA ; FACS ; IHC

Application notes:

Handling

Format: Liquid

Concentration: 0.9-1.1 mg/ml

Passage number:

Growth medium:

Temperature:

Atmosphere:

Volume:

Storage medium:

Storage buffer: PBS with 0.02% azide

Storage conditions: -20° C

Shipping conditions: Shipping at 4° C

Related tools

Related tools:

References

References: Gao et al. 2013. J Biol Chem. 288(36):25760-8. PMID: 23888055. ; Splice isoforms of phosducin-like protein control the expression of heterotrimeric G proteins.

CancerTools.org