

Anti-DNA [m111-33]

Catalogue number: 157809

Sub-type:

Images:

Contributor

Inventor: Tony Marion

Institute: The University of Tennessee Health Science Center (UTHSC)

Images:

Tool details

***FOR RESEARCH USE ONLY**

Name: Anti-DNA [m111-33]

Alternate name:

Class: Monoclonal

Conjugate: Unconjugated

Description: Monoclonal anti-DNA antibodies were generated from a spontaneous mouse model of Systemic Lupus Erythematosus (SLE) (NZB x NZW)F1 using standard methodologies for the generation of B-cell hybridomas. The mice spontaneously developed anti-DNA antibodies that contributed to SLE disease. The mice were neither immunized nor stimulated non-specifically. Hybridomas derived from these autoimmune mice provide the opportunity to analyse the structure, function, and biology of autoantibodies important to understanding their contribution to the pathogenesis of SLE. Table 1 provides a summary of the variable region structures and DNA specificity for the monoclonal anti-DNA autoantibodies generated.

Purpose:

Parental cell:

Organism:

Tissue:

Model:

Gender:

Isotype: IgG2a

Reactivity:

Selectivity:

Host: Mouse

Immunogen:

Immunogen UNIPROT ID: N/A

Sequence:

Growth properties:

Production details:

Formulation:

Recommended controls:

Bacterial resistance:

Selectable markers:

Additional notes:

Target details

Target: ssDNA and/or dsDNA

Target alternate names:

Target background: Monoclonal anti-DNA antibodies were generated from a spontaneous mouse model of Systemic Lupus Erythematosus (SLE) (NZB x NZW)F1 using standard methodologies for the generation of B-cell hybridomas. The mice spontaneously developed anti-DNA antibodies that contributed to SLE disease. The mice were neither immunized nor stimulated non-specifically. Hybridomas derived from these autoimmune mice provide the opportunity to analyse the structure, function, and biology of autoantibodies important to understanding their contribution to the pathogenesis of SLE. Table 1 provides a summary of the variable region structures and DNA specificity for the monoclonal anti-DNA autoantibodies generated.

Molecular weight:

Ic50:

Applications

Application: ELISA

Application notes:

Handling

Format: Liquid
Concentration:
Passage number:
Growth medium:
Temperature:
Atmosphere:
Volume:
Storage medium:
Storage buffer:
Storage conditions:
Shipping conditions: Shipping at 4° C

Related tools

Related tools:

References

References: Marion et al. 1997. *Methods*. 11(1):3-11. PMID: 8990083. ; Tillman et al. 1992. *J Exp Med*. 176(3):761-79. PMID: 1512540. ; Marion et al. 1982. *J Immunol*. 128(2):668-74. PMID: 7198664.