Anti-DNA [m17-ps-c7]

Catalogue number: 157792

Sub-type: Images:

Contributor

Inventor: Tony Marion

Institute: The University of Tennessee Health Science Center (UTHSC)

Images:

Tool details

*FOR RESEARCH USE ONLY

Name: Anti-DNA [m17-ps-c7]

Alternate name:

Class: Monoclonal

Conjugate: Unconjugated

Zancer Tools.org **Description:** Monoclonal anti-DNA antibodies were generated from a spontaneous mouse model of Systemic Lupus Erythematosus (SLE) (NZB x NZW)F1 using standard methodologies for the generation of B-cell hybridomas. The mice spontaneously developed anti-DNA antibodies that contributed to SLE disease. The mice were neither immunized nor stimulated non-specifically. Hybridomas derived from these autoimmune mice provide the opportunity to analyse the structure. function, and biology of autoantibodies important to understanding their contribution to the pathogenesis of SLE. Table 1 provides a summary of the variable region structures and DNA specificity for the monoclonal anti-DNA autoantibodies generated.

Purpose: Parental cell: Organism: Tissue: Model: Gender:

Isotype: IgG2a Reactivity: Selectivity: Host: Mouse Immunogen:

Immunogen UNIPROT ID: N/A

Sequence:

Growth properties:

Production details: Formulation:

Recommended controls:

Bacterial resistance: Selectable markers: Additional notes:

Target details

Target: ssDNA and/or dsDNA

Target alternate names:

Target background: Monoclonal anti-DNA antibodies were generated from a spontaneous mouse model of Systemic Lupus Erythematosus (SLE) (NZB x NZW)F1 using standard methodologies for the generation of B-cell hybridomas. The mice spontaneously developed anti-DNA antibodies that contributed to SLE disease. The mice were neither immunized nor stimulated non-specifically. Hybridomas derived from these autoimmune mice provide the opportunity to analyse the structure, function, and biology of autoantibodies important to understanding their contribution to the pathogenesis of SLE. Table 1 provides a summary of the variable region structures and DNA specificity for the monoclonal anti-DNA autoantibodies generated. Cance.

Molecular weight:

Ic50:

Applications

Application: ELISA **Application notes:**

Handling

Format: Liquid **Concentration:** Passage number: **Growth medium:** Temperature: **Atmosphere:**

Volume:

Storage medium: Storage buffer:

Storage conditions:

Shipping conditions: Shipping at 4° C

Related tools

Related tools:

References

Tools.org References: Marion et al. 1997. Methods. 11(1):3-11. PMID: 8990083.; Tillman et al. 1992. J Exp Med. 176(3):761-79. PMID: 1512540.; Marion et al. 1982. J Immunol. 128(2):668-74. PMID: 7198664.