

Anti-Follicular Dendritic Cell Antigen [BU57]

Catalogue number: 151453

Sub-type:

Images:

Contributor

Inventor:

Institute: University of Birmingham

Images:

Tool details

***FOR RESEARCH USE ONLY**

Name: Anti-Follicular Dendritic Cell Antigen [BU57]

Alternate name:

Class: Monoclonal

Conjugate: Unconjugated

Description: Follicular dendritic cells (FDC), described as embryonal non-phagocytic reticulum cells are found exclusively in B cell-rich follicles of peripheral lymphoid tissue. In the germinal centres of secondary follicles their cytoplasmic processes form a dense network closely associated with the lymphoid cells.

Purpose:

Parental cell:

Organism:

Tissue:

Model:

Gender:

Isotype: IgM

Reactivity: Human

Selectivity:

Host: Mouse

Immunogen:

Immunogen UNIPROT ID:

Sequence:

Growth properties:

Production details:

Formulation:

Recommended controls:

Bacterial resistance:

Selectable markers:

Additional notes:

Target details

Target: Follicular dendritic cell marker

Target alternate names:

Target background: Follicular dendritic cells (FDC), described as embryonal non-phagocytic reticulum cells are found exclusively in B cell-rich follicles of peripheral lymphoid tissue. In the germinal centres of secondary follicles their cytoplasmic processes form a dense network closely associated with the lymphoid cells.

Molecular weight:

Ic50:

Applications

Application: FACS ; IHC

Application notes:

Handling

Format: Liquid

Concentration: 0.9-1.1mg/ml

Passage number:

Growth medium:

Temperature:

Atmosphere:

Volume:

Storage medium:

Storage buffer: PBS with 0.02% azide

Storage conditions: -15° C to -25° C

Shipping conditions: Shipping at 4° C

Related tools

Related tools:

References

References:

CancerTools.org