

Anti-Hairy [1/24]

Catalogue number: 151024

Sub-type: Primary antibody

Images:

Contributor

Inventor: Julian Gannon

Institute: Cancer Research UK, London Research Institute: Clare Hall Laboratories

Images:

Tool details

***FOR RESEARCH USE ONLY**

Name: Anti-Hairy [1/24]

Alternate name: Interleukin 12; Cytotoxic Lymphocyte Maturation Factor 4 KDa Subunit; NK Cell Stimulatory Factor Chain; Interleukin-12 Beta Chain; IL-12 Subunit P4; CLMF P4; NKSF2; Natural Killer Cell Stimulatory Factor; IL12; Subunit P4; Interleukin 12; CLMF2; IMD29; NKSF; P4

Class: Monoclonal

Conjugate: Unconjugated

Description: These antibodies stain Drosophila embryos.

Purpose:

Parental cell:

Organism:

Tissue:

Model:

Gender:

Isotype: IgG1

Reactivity: Drosophila

Selectivity:

Host: Mouse

Immunogen: Hairy gene product

Immunogen UNIPROT ID:

Sequence:

Growth properties:

Production details:

Formulation:

Recommended controls:

Bacterial resistance:

Selectable markers:

Additional notes:

Target details

Target: Hairy (Drosophila)

Target alternate names:

Target background: The Drosophila Hairy protein is a repressor of transcription that regulates embryonic segmentation.

Molecular weight:

Ic50:

Applications

Application: IHC ; ChIP ; WB

Application notes:

Handling

Format: Liquid

Concentration: 1 mg/ml

Passage number:

Growth medium:

Temperature:

Atmosphere:

Volume:

Storage medium:

Storage buffer: PBS with 0.02% azide

Storage conditions: -15° C to -25° C

Shipping conditions: Shipping at 4° C

Related tools

Related tools:

References

References: Carter et al. 1997. Hybridoma. 16(4):363-9. PMID: 9309427. ; Production and characterization of monoclonal antibodies to human interleukin-12.

CancerTools.org