

Anti-ICAM3 [BU65]

Catalogue number: 151489

Sub-type:

Images:

Contributor

Inventor:

Institute: University of Birmingham

Images:

Tool details

***FOR RESEARCH USE ONLY**

Name: Anti-ICAM3 [BU65]

Alternate name: Intercellular Adhesion Molecule 3; ICAM-3; ICAM-R; CDW5; CD5

Class: Monoclonal

Conjugate: Unconjugated

Description: ICAMs are members of the immunoglobulin superfamily that is characterised by the presence of immunoglobulin-like domains. ICAM-3 is the major ligand for LFA-1 (CD11a/CD18) in the resting state. ICAM-3 may play a key role in initiating immune responses.

Purpose:

Parental cell:

Organism:

Tissue:

Model:

Gender:

Isotype: IgG1

Reactivity: Human

Selectivity:

Host: Mouse

Immunogen:

Immunogen UNIPROT ID:

Sequence:

Growth properties:

Production details:

Formulation:

Recommended controls:

Bacterial resistance:

Selectable markers:

Additional notes:

Target details

Target: ICAM3 (CD50)

Target alternate names:

Target background: ICAMs are members of the immunoglobulin superfamily that is characterised by the presence of immunoglobulin-like domains. ICAM-3 is the major ligand for LFA-1 (CD11a/CD18) in the resting state. ICAM-3 may play a key role in initiating immune responses.

Molecular weight:

Ic50:

Applications

Application: FACS ; IP

Application notes:

Handling

Format: Liquid

Concentration: 0.9-1.1mg/ml

Passage number:

Growth medium:

Temperature:

Atmosphere:

Volume:

Storage medium:

Storage buffer: PBS with 0.02% azide

Storage conditions: -15° C to -25° C

Shipping conditions: Shipping at 4° C

Related tools

Related tools:

References

References:

CancerTools.org