# Anti-ICAM3 [CG106] rAb

Catalogue number: 154826

Sub-type: Images:

#### Contributor

Inventor:

Institute: Absolute Antibody; University of Oxford

Images:

### **Tool details**

#### \*FOR RESEARCH USE ONLY

Name: Anti-ICAM3 [CG106] rAb

Alternate name: Intercellular Adhesion Molecule 3; ICAM-3; ICAM-R; CDW5; CD5

**Class:** Recombinant

Conjugate: Unconjugated

Description: ICAM-3 is the major ligand for LFA-1 (CD11a/CD18) in the resting state. ICAM-3 may

ols.org

play a key role in initiating immune responses.

Purpose:
Parental cell:
Organism:
Tissue:
Model:
Gender:

Isotype: IgG2a Reactivity: Human

Selectivity: Host: Mouse

Immunogen: T-lymphoblastic cells

**Immunogen UNIPROT ID:** 

Sequence:

Growth properties: Production details:

Formulation:

Recommended controls: Bacterial resistance: Selectable markers:

#### Additional notes:

### **Target details**

Target: ICAM3 (CD50)

#### **Target alternate names:**

**Target background:** ICAM-3 is the major ligand for LFA-1 (CD11a/CD18) in the resting state. ICAM-3 may play a key role in initiating immune responses.

Cancer Tools.org

#### Molecular weight:

Ic50:

## **Applications**

**Application:** 

**Application notes:** 

# **Handling**

Format: Liquid
Concentration:
Passage number:
Growth medium:
Temperature:
Atmosphere:
Volume:

Storage medium: Storage buffer: Storage conditions:

Shipping conditions: Shipping at 4° C

### Related tools

Related tools:

### References

**References:** Immunohistochemical identification of erythroid precursors in paraffin embedded bone marrow sections: spectrin is a superior marker to glycophorin.; Sadahira et al. 1999. J Clin Pathol. 52(12):919-21. PMID: 10711257.

