

Anti-IgD [IgD26]

Catalogue number: 151385

Sub-type:

Images:

Contributor

Inventor: Jacqueline Cordell

Institute: University of Oxford

Images:

Tool details

***FOR RESEARCH USE ONLY**

Name: Anti-IgD [IgD26]

Alternate name:

CancerTools.org

Class: Monoclonal
Conjugate: Unconjugated
Description: IgD26 may be used as a primary or secondary antibody.
Purpose:
Parental cell:
Organism:
Tissue:
Model:
Gender:
Isotype: IgG1
Reactivity: Human
Selectivity:
Host: Mouse
Immunogen: IgD purified from human myeloma serum
Immunogen UNIPROT ID:
Sequence:
Growth properties:
Production details:
Formulation:
Recommended controls:
Bacterial resistance:
Selectable markers:
Additional notes:

Target details

Target: Immunoglobulin D (IgD)

Target alternate names:

Target background: IgD26 may be used as a primary or secondary antibody.

Molecular weight:

Ic50:

Applications

Application: FACS ; IHC

Application notes:

Handling

Format: Liquid

Concentration: 1 mg/ml

Passage number:

Growth medium:

Temperature:

Atmosphere:

Volume:

Storage medium:

Storage buffer: RPMI 1640 + 10% FCS + penicillin (100U/ml) + streptomycin (100mg/l) + glutamine (2mM) + HAT

Storage conditions: -15° C to -25° C

Shipping conditions: Shipping at 4° C

Related tools

Related tools:

References

References: Mueller et al. 2009. PLoS Biol. 7(11):e1000249. PMID: 19956800. ; Misguided transcriptional elongation causes mixed lineage leukemia. ; Butler et al. 1997. Blood. 89(9):3361-70. PMID: 9129043. ; The HRX proto-oncogene product is widely expressed in human tissues and localizes to nuclear structures.