Anti-IL22 [L7P2E2*B3]

Catalogue number: 152862 Sub-type: Images:

Contributor

Inventor: Ayham Alnabulsi Institute: Vertebrate Antibodies Limited Images:

Tool details

***FOR RESEARCH USE ONLY**

Name: Anti-IL22 [L7P2E2*B3]

ols.org Alternate name: Cytokine Zcyto18, IL 1 related T cell derived inducible factor, IL 21, IL 22, IL D11, IL TIF, IL-1-related T-cell-derived-inducible factor, IL-22, IL-TIF, IL21, II22, ILD11, ILTIF

Class: Monoclonal **Conjugate:** Unconjugated Description: IL-22 is an Ä?Â??-helical cytokine that binds to a heterodimeric cell surface receptor composed of IL-10R2 and IL-22R1 subunits. IL-22R is expressed on tissue cells, and it is absent on immune cells. **Purpose:** Parental cell: **Organism:** Tissue: Model: Gender: Isotype: IgG1 kappa Reactivity: Salmon ; Rainbow Trout Selectivity: Host: Mouse **Immunogen:** Ovalbumin-conjugated synthetic peptide sequence located within the central region of the mature IL-22 polypeptide Immunogen UNIPROT ID: Sequence: Growth properties: Production details: Formulation: **Recommended controls:**

WB - recombinant IL22 (rIL22), gill lysates, FACS - isolated leukocytes, kidney and spleen cells **Bacterial resistance:** Selectable markers: Additional notes:

Target details

Target: Interleukin 22 (IL22)

Target alternate names:

Target background: IL-22 is an Ä?Â??-helical cytokine that binds to a heterodimeric cell surface receptor composed of IL-10R2 and IL-22R1 subunits. IL-22R is expressed on tissue cells, and it is absent on immune cells.

Molecular weight:

Ic50:

Applications

CancerTools.org Application: ELISA ; FACS ; WB **Application notes:**

Handling

Format: Liquid Concentration: 0.9-1.1mg/ml Passage number: Growth medium: **Temperature:** Atmosphere: Volume: Storage medium: Storage buffer: PBS with 0.02% azide Storage conditions: -15° C to -25° C Shipping conditions: Shipping at 4° C

Related tools

Related tools:

References

References:

