

Anti-MHC class I [SPVL8]

Catalogue number: 154793

Sub-type: Primary antibody

Images:

Contributor

Inventor:

Institute: Netherlands Cancer Institute

Images:

Tool details

***FOR RESEARCH USE ONLY**

Name: Anti-MHC class I [SPVL8]

Alternate name:

Class: Monoclonal

Conjugate: Unconjugated

Description: MHC class I molecules are one of two primary classes of major histocompatibility complex (MHC) molecules (the other being MHC class II) and are found on the cell surface of all nucleated cells in the bodies of jawed vertebrates. They also occur on platelets, but not on red blood cells. Their function is to display peptide fragments of proteins from within the cell to cytotoxic T cells; this will trigger an immediate response from the immune system against a particular non-self antigen displayed with the help of an MHC class I protein. Because MHC class I molecules present peptides derived from cytosolic proteins, the pathway of MHC class I presentation is often called cytosolic or endogenous pathway.

Purpose:

Parental cell:

Organism:

Tissue:

Model:

Gender:

Isotype:

Reactivity: Human

Selectivity:

Host: Mouse

Immunogen: Human cytotoxic T-lymphocytes

Immunogen UNIPROT ID:

Sequence:

Growth properties:

Production details:
Formulation:
Recommended controls:
Bacterial resistance:
Selectable markers:
Additional notes:

Target details

Target: MHC Class I

Target alternate names:

Target background: MHC class I molecules are one of two primary classes of major histocompatibility complex (MHC) molecules (the other being MHC class II) and are found on the cell surface of all nucleated cells in the bodies of jawed vertebrates. They also occur on platelets, but not on red blood cells. Their function is to display peptide fragments of proteins from within the cell to cytotoxic T cells; this will trigger an immediate response from the immune system against a particular non-self antigen displayed with the help of an MHC class I protein. Because MHC class I molecules present peptides derived from cytosolic proteins, the pathway of MHC class I presentation is often called cytosolic or endogenous pathway.

Molecular weight:

Ic50:

Applications

Application: IP
Application notes:

Handling

Format: Liquid
Concentration: 0.9-1.1 mg/ml
Passage number:
Growth medium:
Temperature:
Atmosphere:
Volume:
Storage medium:
Storage buffer: PBS with 0.02% azide
Storage conditions: -15° C to -25° C
Shipping conditions: Shipping at 4° C

Related tools

Related tools:

References

References: Keizer et al. 1985. Eur J Immunol. 15(11):1142-8. PMID: 2933266.