

Anti-OX32 [OX32]

Catalogue number: 156586

Sub-type:

Images:

Contributor

Inventor:

Institute: Medical Research Council; University of Oxford

Images:

Tool details

***FOR RESEARCH USE ONLY**

Name: Anti-OX32 [OX32]

Alternate name:

Class: Monoclonal

Conjugate: Unconjugated

Description: The antibody reacts mainly with the high molecular weight form (190-220kDa) of leukocyte common antigen (L-CA). It labels a subset of L-CA found on B cells, CD8+ T cells, NK cells and 75% of CD4+ T cells. It labels the same population as OX-22 but the antibody do not compete.

Purpose:

Parental cell:

Organism:

Tissue:

Model:

Gender:

Isotype:

Reactivity: Rat

Selectivity:

Host: Mouse

Immunogen: Rat thoracic duct lymphocytes

Immunogen UNIPROT ID:

Sequence:

Growth properties:

Production details:

Formulation:

Recommended controls: IgG2b

Bacterial resistance:

Selectable markers:

Additional notes:

Target details

Target: CD45R

Target alternate names:

Target background: The antibody reacts mainly with the high molecular weight form (190-220kDa) of leukocyte common antigen (L-CA). It labels a subset of L-CA found on B cells, CD8+ T cells, NK cells and 75% of CD4+ T cells. It labels the same population as OX-22 but the antibody do not compete.

Molecular weight:

Ic50:

Applications

Application:

Application notes:

Handling

Format: Liquid

Concentration:

Passage number:

Growth medium:

Temperature:

Atmosphere:

Volume:

Storage medium:

Storage buffer:

Storage conditions:

Shipping conditions: Shipping at 4° C

Related tools

Related tools:

References

References: Hunt et al. 1981. Cell Tissue Kinet. 14(4):445-64. PMID: 6973397.

CancerTools.org