Anti-Plasminogen [SBF1 C1.21]

Catalogue number: 151212 Sub-type: Primary antibody Images:

Contributor

Inventor: Institute: University of Cambridge Images:

Tool details

***FOR RESEARCH USE ONLY**

Cancer Tools.org Name: Anti-Plasminogen [SBF1 C1.21]

Alternate name:

Class: Monoclonal

Conjugate: Unconjugated

Description: Plasminogen is converted to the active serine protease plasmin by proteolytic cleavage by urokinase-type (uPA) and tissue-type (tPA) plasminogen activators. Plasmin is a key enzyme in the fibrinolytic pathway (lysis of the unwanted blood clots). Plasminogen related growth factors are potent effectors of growth, movement and differentiation of epithlia and endothelia. The receptor tyrosine kinsase for HGF/SF is the product of the proto-oncogene c-met.

Purpose: Parental cell: **Organism: Tissue:** Model: Gender: Isotype: IgG1 Reactivity: Human Selectivity: Host: Mouse Immunogen: Human Plasminogen Immunogen UNIPROT ID: Sequence: Growth properties: Production details: Formulation: **Recommended controls:**

Bacterial resistance: Selectable markers: Additional notes:

Target details

Target: Plasminogen

Target alternate names:

Target background: Plasminogen is converted to the active serine protease plasmin by proteolytic cleavage by urokinase-type (uPA) and tissue-type (tPA) plasminogen activators. Plasmin is a key enzyme in the fibrinolytic pathway (lysis of the unwanted blood clots). Plasminogen related growth factors are potent effectors of growth, movement and differentiation of epithlia and endothelia. The receptor tyrosine kinsase for HGF/SF is the product of the proto-oncogene c-met.

Cancer Tools.org

Molecular weight:

Ic50:

Applications

Application: ELISA Application notes:

Handling

Format: Liquid Concentration: 1 mg/ml Passage number: Growth medium: Temperature: Atmosphere: Volume: Storage medium: Storage medium: Storage buffer: PBS with 0.02% azide Storage conditions: -15° C to -25° C Shipping conditions: Shipping at 4° C

Related tools

Related tools:

References

References: Bileziki et al. 2003. Transplant Proc. 35(8):3022-3. PMID: 14697967. ; Hepatocyte growth factor in hepatic allograft biopsies: an immunohistochemical study.

Cancer Tools.org