Anti-SMC3 [DJ5.2.3]

Catalogue number: 153176 Sub-type: Primary antibody

Images:

Contributor

Inventor: Julian Gannon

Institute: Cancer Research UK, London Research Institute: Clare Hall Laboratories

Images:

Tool details

*FOR RESEARCH USE ONLY

Name: Anti-SMC3 [DJ5.2.3]

Alternate name:

Class: Monoclonal

Conjugate: Unconjugated

Zancer Tools.org **Description:** SMC3 is a central component of cohesin, a complex required for chromosome cohesion during the cell cycle. The cohesin complex may form a large proteinaceous ring within which sister chromatids can be trapped. At anaphase, the complex is cleaved and dissociates from chromatin, allowing sister chromatids to segregate. Cohesion is coupled to DNA replication and is involved in DNA repair. The cohesin complex plays also an important role in spindle pole assembly during mitosis and in chromosomes movement.

Purpose: Parental cell: **Organism:** Tissue: Model: Gender: Isotype: Reactivity: Xenopus laevis; Human; Mouse

Selectivity: Host: Mouse

Immunogen: Synthetic peptide - EEVSLRRVIGAKacetyl Kacetyl DQYFLDKK

Immunogen UNIPROT ID:

Sequence:

Growth properties: Production details:

Formulation:

Recommended controls: Xenopus chromatin extract

Bacterial resistance: Selectable markers: Additional notes:

Target details

Target: SMC3

Target alternate names:

Target background: SMC3 is a central component of cohesin, a complex required for chromosome cohesion during the cell cycle. The cohesin complex may form a large proteinaceous ring within which sister chromatids can be trapped. At anaphase, the complex is cleaved and dissociates from chromatin, allowing sister chromatids to segregate. Cohesion is coupled to DNA replication and is involved in DNA repair. The cohesin complex plays also an important role in spindle pole assembly Cancer Tools.org during mitosis and in chromosomes movement.

Molecular weight: 141 kDa

Ic50:

Applications

Application: WB **Application notes:**

Handling

Format: Liquid

Concentration: 0.9-1.1 mg/ml

Passage number: **Growth medium:** Temperature: **Atmosphere:** Volume:

Storage medium:

Storage buffer: PBS with 0.02% azide Storage conditions: -15° C to -25° C Shipping conditions: Shipping at 4° C

Related tools

| Related t | tools: |
|-----------|--------|
|-----------|--------|

References

References:

