Anti-TAL1 [BTL73]

Catalogue number: 151415 Sub-type: Primary antibody

Images:

Contributor

Inventor: Karen Pulford Institute: University of Oxford

Images:

Tool details

Cancer Tools.org *FOR RESEARCH USE ONLY

Name: Anti-TAL1 [BTL73]

Alternate name:

Class: Monoclonal

Conjugate: Unconjugated

Description: Monoclonal antibody which stains 3 forms of TAL1 in the cytoplasm and nuclei of cells.

Purpose:
Parental cell:
Organism:
Tissue:
Model:
Gender:
Isotype: IgG1

Reactivity: Human

Selectivity: Host: Mouse

Immunogen: TAL-1 recombinant protein Immunogen UNIPROT ID: P17542

Sequence:

Growth properties: Production details:

Formulation:

Recommended controls: Bacterial resistance: Selectable markers: Additional notes:

Target details

Target: TAL1

Target alternate names:

Target background: Monoclonal antibody which stains 3 forms of TAL1 in the cytoplasm and nuclei of cells.

Cancer Tools.org

Molecular weight:

Ic50:

Applications

Application: ChIP; ELISA; IHC; WB

Application notes:

Handling

Format: Liquid Concentration:

1 mg/ml

Passage number: Growth medium: Temperature: Atmosphere: Volume:

Storage medium:

Storage buffer: PBS with 0.02% azide

Storage conditions: Store at -20° C frozen. Avoid repeated freeze / thaw cycles

Shipping conditions: Shipping at 4° C

Related tools

Related tools:

References

References: Cao et al. 2003. Cell. 115(3):355-67. PMID: 14636562. ; The AAA-ATPase Cdc48/p97 regulates spindle disassembly at the end of mitosis. ; Hetzer et al. 2001. Nat Cell Biol. 3(12):1086-91. PMID: 11781570. ; Distinct AAA-ATPase p97 complexes function in discrete steps of nuclear assembly. ; Meyer et al. 2000. EMBO J. 19(10):2181-92. PMID: 10811609. ; A complex of mammalian ufd1 and npl4 links the AAA-ATPase, p97, to ubiquitin and nuclear transport pathways.