

Anti-Urothelium [LBS 8]

Catalogue number: 151113

Sub-type: Primary antibody

Images:

Contributor

Inventor: Jenny Southgate ; Ludwik Trejdosiewicz

Institute: Cancer Research UK, London Research Institute: Lincoln's Inn Fields

Images:

Tool details

***FOR RESEARCH USE ONLY**

Name: Anti-Urothelium [LBS 8]

Alternate name:

Class: Monoclonal

Conjugate: Unconjugated

Description: LBS 8 specifically detects human urothelium cell lines, tending to recognise the least anaplastic types.

Purpose:

Parental cell:

Organism:

Tissue:

Model:

Gender:

Isotype: IgG1

Reactivity: Human

Selectivity:

Host: Mouse

Immunogen: Human urothelial carcinoma -derived RT112 cells.

Immunogen UNIPROT ID:

Sequence:

Growth properties:

Production details:

Formulation:

Recommended controls:

Bacterial resistance:

Selectable markers:

Additional notes:

Target details

Target: Urothelium marker

Target alternate names:

Target background: The urothelium is the lining of the ureters, bladder, and urethra.

Molecular weight:

Ic50:

Applications

Application: IHC

Application notes:

Handling

Format: Liquid

Concentration: 0.9-1.1 mg/ml

Passage number:

Growth medium:

Temperature:

Atmosphere:

Volume:

Storage medium:

Storage buffer: PBS with 0.02% azide

Storage conditions: -15° C to -25° C

Shipping conditions: Shipping at 4° C

Related tools

Related tools:

References

References: Doldo et al. 2015. Genes Cancer. 6(11-12):490-502. PMID: 26807202. ; High expression of cellular retinol binding protein-1 in lung adenocarcinoma is associated with poor prognosis. ; Dubicke et al. 2008. Mol Hum Reprod. 14(11):641-7. PMID: 18922847. ; Different secretion patterns of matrix metalloproteinases and IL-8 and effect of corticotropin-releasing hormone in preterm and term

cervical fibroblasts. ; Oppedal et al. 1987. Histopathology. 11(4):363-74. PMID: 3596475. ; Immunohistochemical differentiation of neuroblastomas from other small round cell neoplasms of childhood using a panel of mono- and polyclonal antibodies.

CancerTools.org