# Anti-Von Willebrand Factor [F8/44/20] rAb

Catalogue number: 154840

Sub-type: Images:

#### Contributor

Inventor:

Institute: Absolute Antibody; University of Oxford

Images:

### **Tool details**

#### \*FOR RESEARCH USE ONLY

Name: Anti-Von Willebrand Factor [F8/44/20] rAb

Alternate name:

Class: Recombinant
Conjugate: Unconjugated

**Description:** Von Willebrand factor (vWF) mediates platelet adhesion to injured endothelium, the first step in hemostasis, and helps maintain factor VIII levels. When vWF is deficient, patients have a bleeding disorder called von Willebrand disease (vWD).

Purpose: Parental cell: Organism: Tissue: Model: Gender:

**Isotype:** IgG1 Reactivity: Human

Selectivity: **Host:** Mouse

**Immunogen:** Von Willebrand factor isolated from human plasma

**Immunogen UNIPROT ID:** 

Sequence:

**Growth properties: Production details:** 

Formulation:

Recommended controls:

**Bacterial resistance:** Selectable markers:

#### **Additional notes:**

## **Target details**

Target: Von Willebrand factor (VWF)

**Target alternate names:** 

**Target background:** Von Willebrand factor (vWF) mediates platelet adhesion to injured endothelium, the first step in hemostasis, and helps maintain factor VIII levels. When vWF is deficient, patients have a bleeding disorder called von Willebrand disease (vWD).

Cancer Tools.org

#### Molecular weight:

Ic50:

# **Applications**

Application:

**Application notes:** 

# **Handling**

Format: Liquid
Concentration:
Passage number:
Growth medium:
Temperature:
Atmosphere:
Volume:

Storage medium: Storage buffer: Storage conditions:

Shipping conditions: Shipping at 4° C

### Related tools

Related tools:

### References

References: CD Guide for CD71 (1989) In Knapp W, et al (eds) Leucocyte Typing IV, Oxford

