Anti-vWf T4 [MBC 105.4]

Catalogue number: 155095 Sub-type: Primary antibody Images:

Contributor

Inventor: Institute: Versiti Blood Research Institute Images:

Tool details

***FOR RESEARCH USE ONLY**

Name: Anti-vWf T4 [MBC 105.4]

Alternate name: vWf

Cancer Tools.org **Class:** Monoclonal Conjugate: Unconjugated **Description:** Von Willebrand factor (vWF) is a multimeric plasma glycoprotein that functions in hemostasis as the initiator of platelet adhesion at the site of vascular injury and as the carrier of the anti-hemophilic factor, factor VIII (FVIII). Hereditary or acquired defects of VWF lead to von Willebrand disease (vWD), a bleeding diathesis of the skin and mucous membranes, causing nosebleeds, menorrhagia, and gastrointestinal bleeding. Purpose: Marker Parental cell: **Organism:**

Tissue: Model: Gender: Isotype: Reactivity: Bovine ; Dog ; Human ; Pig Selectivity: Host: Mouse Immunogen: vWf T4 Immunogen UNIPROT ID: Sequence: Growth properties: Production details: Formulation: **Recommended controls:**

lgG1 **Bacterial resistance:** Selectable markers: Additional notes:

Target details

Target: von Willebrand Factor

Target alternate names:

Target background: Von Willebrand factor (vWF) is a multimeric plasma glycoprotein that functions in hemostasis as the initiator of platelet adhesion at the site of vascular injury and as the carrier of the anti-hemophilic factor, factor VIII (FVIII). Hereditary or acquired defects of VWF lead to von Willebrand disease (vWD), a bleeding diathesis of the skin and mucous membranes, causing nosebleeds, menorrhagia, and gastrointestinal bleeding.

Molecular weight: 145 kDa

Application: ELISA ; IF ; IP ; WB Application notes:

Handling

Format: Liquid Concentration: 0.9-1.1 mg/ml Passage number: Growth medium: **Temperature:** Atmosphere: Volume: Storage medium: Storage buffer: PBS with 0.02% azide Storage conditions: -15° C to -25° C Shipping conditions: Shipping at 4° C

Related tools

Related tools:

References

References:

Cancer Tools.org