Anti-W6/32HK [W6/32HK]

Catalogue number: 155233 Sub-type: Images:

Contributor

Inventor: Institute: Medical Research Council; University of Oxford Images:

Tool details

***FOR RESEARCH USE ONLY**

Name: Anti-W6/32HK [W6/32HK]

Alternate name:

Cancer Tools.org **Class:** Monoclonal Conjugate: Unconjugated Description: This is an inactive clone derived from the hybridoma line W6/32. The antibody selected contains the specific heavy chain, but it is in association with the myeloma light chain. **Purpose:** Parental cell: **Organism:** Tissue: Model: Gender: Isotype: IgG2a Reactivity: Human Selectivity: Host: Mouse Immunogen: Membrane from human tonsil cells Immunogen UNIPROT ID: Sequence: Growth properties: Production details: Formulation: **Recommended controls:** Bacterial resistance: Selectable markers:

Additional notes:

Target details

Target: N/A

Target alternate names:

Target background: This is an inactive clone derived from the hybridoma line W6/32. The antibody selected contains the specific heavy chain, but it is in association with the myeloma light chain.

Molecular weight:

Ic50:

Applications

Application: Application notes:

Handling

CancerTools.org Format: Liquid **Concentration:** Passage number: Growth medium: **Temperature:** Atmosphere: Volume: Storage medium: Storage buffer: Storage conditions: Shipping conditions: Shipping at 4° C

Related tools

Related tools:

References

References: A validated collection of mouse monoclonal antibodies to human glycosyltransferases functioning in mucin-type O-glycosylation. ; Exploring Regulation of Protein O-Glycosylation in Isogenic Human HEK293 Cells by Differential O-Glycoproteomics. ; Expression of the O-Glycosylation Enzyme

GalNAc-T3 in the Equatorial Segment Correlates with the Quality of Spermatozoa. ; Deconstruction of O-glycosylation--GalNAc-T isoforms direct distinct subsets of the O-glycoproteome. ; Control of mucintype O-glycosylation: a classification of the polypeptide GalNAc-transferase gene family. ; Polypeptide GalNAc-transferase T3 and familial tumoral calcinosis. Secretion of fibroblast growth factor 23 requires O-glycosylation. ; Mandel et al. 1999. Glycobiology. 9(1):43-52. PMID: 9884405. ; cDNA cloning and expression of a novel human UDP-N-acetyl-alpha-D-galactosamine. Polypeptide Nacetylgalactosaminyltransferase, GalNAc-t3.

Cancer Tools.org