C75 Colorectal adenocarcinoma Cell Line

Catalogue number: 151758

Sub-type: Images:

Contributor

Inventor: Walter Bodmer

Institute: University of Oxford, UK

Images:

Tool details

*FOR RESEARCH USE ONLY

Name: C75 Colorectal adenocarcinoma Cell Line

Alternate name: C75 Cell Line

Class:
Conjugate:

Conjugate:

Description: The C75 cell line was established from a 56-year old male patient with a moderately well

differentiated adenocarcinoma of the sigmoid colon classified as Dukes' stage D.

Purpose: Parental cell: Organism: Human Tissue: Colon

Model: Tumour line

Gender: Isotype: Reactivity: Selectivity: Host:

Immunogen:

Immunogen UNIPROT ID:

Sequence:

Growth properties: Production details:

Formulation:

Recommended controls: Bacterial resistance:

Selectable markers:

Additional notes:
Target details
Target:
Target alternate names:
Target background:
Molecular weight:
Ic50:
Applications
Application: Application notes:
Handling Format: Frozen Concentration: Passage number: Growth medium: Iscove?s Modified Dulbecco?s Medium, + 10% Foetal Bovine Serum (FBS) + 2 mN
Format: Frozen Concentration:
Passage number:
Growth medium: Iscove?s Modified Dulbecco?s Medium, + 10% Foetal Bovine Serum (FBS) + 2 mM Glutamine
Temperature: 37° C
Atmosphere: 5% CO2
Volume: Storage medium:
Storage buffer:
Storage conditions:
Shipping conditions: Dry ice
Related tools
Related tools:

References

References: Browning et al. 1993. Proc Natl Acad Sci U S A. 90(7):2842-5. PMID: 8464898. ; Tissue typing the HLA-A locus from genomic DNA by sequence-specific PCR: comparison of HLA genotype and surface expression on colorectal tumor cell lines.

