Immortalised CD40L deficient B Cell Line

Catalogue number: 154102

Sub-type: Images:

Contributor

Inventor: Pranab K Das

Institute: Images:

Tool details

*FOR RESEARCH USE ONLY

Name: Immortalised CD40L deficient B Cell Line

Alternate name: TRAP, TNFSF5, TNF-Related Activation Protein, T-Cell Antigen Gp39

Class: Conjugate:

Description: Can be used as antigen presenting cells. Hyper IgM syndromesÄ?Â??? is a group ofÄ?Â??? primary immune deficiency disordersÄ?Â??? characterised by defectiveÄ?Â??? CD40Ä?Â??? signalling;Ä?Â??? viaÄ?Â??? B cellsÄ?Â??? affectingÄ?Â??? class switch recombinationÄ?Â??? (CSR) andÄ?Â??? somatic hyper mutation.Ä?Â??? ImmunoglobulinÄ?Â??? (Ig) class switch recombination deficiencies are characterised by elevated serumÄ?Â??? Immunoglobulin MÄ?Â??? (IgM) levels and a considerable deficiency inÄ?Â??? Immunoglobulins GÄ?Â??? (IgG),Ä?Â??? AÄ?Â??? (IgA) andÄ?Â??? (EB). As a consequence, people with HIGM have decreased concentrations of serum IgG and IgA and normal or elevated IgM, leading to increased susceptibility to infections. Hyper IgM Syndrome type 1 (X-linked), is characterised by mutations of the CD40LG gene. In this type, T cells cannot tell B cells to switch classes.

ds.org

Purpose:

Parental cell: B cells from CD40L deficient patient

Organism: Human

Tissue:

Model: Immortalised Line

Gender: Isotype: Reactivity: Selectivity: Host:

Immunogen:

Immunogen UNIPROT ID:

Sequence:

Growth properties: Maintain at 3x105 to 7x105 cells per ml for optimal growth. Replenish growth

medium twice per week

Production details: B Cells were isolated from PBMCs of CD40L deficient Hyper IgM Syndrome

patients using standards methods. B cells were transformed with Epstein-Barr virus.

Formulation:

Recommended controls: **Bacterial resistance:** Selectable markers: Additional notes:

Target details

Target:

Cancer Tools.org **Target alternate names:**

Target background:

Molecular weight:

Ic50:

Applications

Application:

Application notes:

Handling

Format: Frozen **Concentration:** Passage number:

Growth medium: RPMI 1640 medium supplemented with 10% FCS, 10mM HEPES buffer, 50U/ml

penicillin and 50 ????g/ml streptomycin

Temperature: **Atmosphere:** Volume:

Storage medium: Storage buffer: **Storage conditions:**

Shipping conditions: Dry ice

Related tools

Related tools:

References

References:

