MCF10A pLA(empty) (negCTRL for hRas_V12 cell line)

Catalogue number: 156524 Sub-type: Continuous Images:

Contributor

Inventor: Sarah-Maria Fendt Institute: Vlaams Instituut voor Biotechnologie (VIB) Images:

Tool details

***FOR RESEARCH USE ONLY**

ools.org Name: MCF10A pLA(empty) (negCTRL for hRas_V12 cell line)

Alternate name: transforming protein p21, h-Ras, H-Ras, HRAS

Class:

Conjugate:

Description: MCF10A cells are frequently used to study signalling pathways in breast cancer. They can be grown in 3D culture. The addition of the H-Ras12 simulates breast cancer as 50% of breast cancers display increased H-Ras activity. This is a control line for the MCF10 H-Ras12 cell line from the same group at the VIB as it has the same pLA expression vector stably expressed but lacking the HRAS gene.

Purpose: Parental cell: MCF10A **Organism:** Tissue: Breast Model: Cancer Model Gender: Isotype: **Reactivity:** Selectivity: Host: Immunogen: Immunogen UNIPROT ID: Sequence: Growth properties: **Production details:**

Formulation: **Recommended controls: Bacterial resistance:** Selectable markers: Additional notes: This cell line is a negative control for the cell line overexpressing HRas. It was made using the same pLA vector but lacking the HRAS gene.

Target details

Target: HRas

Target alternate names:

Target background:

Molecular weight:

Ic50:

Applications

Application:

Tools.org Application notes: This cell line is a negative control for the cell line overexpressing HRas. It was made using the same pLA vector but lacking the HRAS gene.

Handling

Format: Frozen **Concentration:** Passage number: Growth medium: DMEM-F12 supplemented with 5% horse serum, 1% penicillin (50 units ml-1), 1% streptomycin (50 ?g ml-1), 0.5 ?g ml-1 hydrocortisone, 100 ng ml-1 cholera toxin, 10 ?g ml-1 insulin and 20 ng ml-1 recombinant human EGF. **Temperature:** Atmosphere:

Volume: Storage medium: Storage buffer: Storage conditions: Liquid Nitrogen Shipping conditions: Dry ice

Related tools

Related tools: MCF10A hRas_V12 cell line

References

References: Zhou et al. 2008. J Exp Med. 205(11):2657-71. PMID: 18936234.

