

# MEF Raf1 FF/FF KI Cell Line

**Catalogue number:** 151629

**Sub-type:**

**Images:**

## Contributor

**Inventor:** Catrin Pritchard

**Institute:** University of Leicester

**Images:**

## Tool details

**\*FOR RESEARCH USE ONLY**

**Name:** MEF Raf1 FF/FF KI Cell Line

**Alternate name:**

**Class:**

**Conjugate:**

**Description:** The MEF Raf1 FF/FF KI Cell Line is a MEF line obtained from the knock-in mouse carrying inactive Raf-1FF/FF mutant.

**Purpose:**

**Parental cell:** See the Raf KI FF knockout mouse that these cells were derived from in related products.

**Organism:** Mouse

**Tissue:** Embryo

**Model:** Knock-In

**Gender:**

**Isotype:**

**Reactivity:**

**Selectivity:**

**Host:**

**Immunogen:**

**Immunogen UNIPROT ID:**

**Sequence:**

**Growth properties:**

**Production details:** Embryos were dissected and cut, washed several times with cold PBS and then incubated at 4°C for 2 hours in 0.25% trypsin. Cells were incubated as per the growth conditions. Primary cells were immortalised and resulting cells grown out by continuous culture.

**Formulation:**

**Recommended controls:**

**Bacterial resistance:**

**Selectable markers:**

**Additional notes:**

## Target details

**Target:** Raf1 Y340F Y341F inactive mutant

**Target alternate names:**

**Target background:**

**Molecular weight:**

**Ic50:**

## Applications

**Application:**

**Application notes:** See the Raf KI FF knockout mouse that these cells were derived from in related products.

## Handling

**Format:** Frozen

**Concentration:**

**Passage number:**

**Growth medium:** DMEM, 10% FCS, 100U/mol penicillin/streptomycin

**Temperature:**

**Atmosphere:**

**Volume:**

**Storage medium:**

**Storage buffer:**

**Storage conditions:** Vapor phase of liquid nitrogen. Storage at -70° C will result in loss of viability.

**Shipping conditions:** Dry ice

## Related tools

**Related tools:** Raf-1FF/FF knockin mouse

## References

**References:** Praekelt et al. 2012. Eur J Cell Biol. 91(3):180-91. PMID: 22306379. ; New isoform-specific monoclonal antibodies reveal different sub-cellular localisations for talin1 and talin2.

CancerTools.org