# **VP Cell Line**

Catalogue number: 153454 Sub-type: Continuous Images:

#### Contributor

Inventor: Fiona Watt Institute: Cancer Research UK, London Research Institute: Lincoln's Inn Fields Images:

#### **Tool details**

#### **\*FOR RESEARCH USE ONLY**

Alternate name: HPV, Human papillomavirus and

#### Conjugate:

Description: The paired normal and immortalised cell lines provide a good model system for studying the interaction of the HPV genome with human cells and offer the potential for further studies on the effects of carcinogenesis and oncogenes in malignant conversion of HPV16-infected keratinocytes vp HPV16-immortalised keratinocyte cell line

**Purpose:** 

Formulation:

Parental cell: Human epidermal keratinocytes - strain V **Organism:** Human Tissue: Skin Model: Immortalised Line Gender: **Isotype: Reactivity:** Selectivity: Host: Immunogen: Immunogen UNIPROT ID: Sequence: Growth properties: Production details: Primary human keratinocytes from newborn foreskin samples were used as the source of cells. These cells were then grown in culture and at passage 2 transfected with the pSV2neo/16 plasmid which contains the entire HPV16 genome.

Recommended controls: Human epidermal keratinocytes - strain V parental line **Bacterial resistance:** Selectable markers: Additional notes:

#### **Target details**

Target: HPV transfected human keratinocytes

**Target alternate names:** 

Target background:

Molecular weight:

Ic50:

## **Applications**

**Application: Application notes:** 

## Handling

CancerTools.org Format: Frozen **Concentration:** Passage number: Growth medium: Composed of a 1+3 mixture of Ham??Â?s F12 and DMEM, supplemented with 1.8x10-4M adenine, 10 % FCS, 5 ug/ml insulin, 0.5 ug/ml hydrocortisone, 10 ng/ml EGF and 10-10M cholera toxin. Cultures should be maintained at 37oC, and medium changed every 2-3 days **Temperature:** 

Atmosphere: Volume: Storage medium: Storage buffer: Storage conditions: Shipping conditions: Dry ice

### **Related tools**

Related tools: UP Cell Line

#### References

**References:** Fritsch et al. 2013. Cell. 153(5):1050-63. PMID: 23706742. ; RAS and RHO families of GTPases directly regulate distinct phosphoinositide 3-kinase isoforms.

Cancer Tools.org