# ZR-75-1 [XIV-9] cell line

Catalogue number: 154619

Sub-type: Continuous

Images:

#### Contributor

**Inventor:** Lambert Dorssers

**Institute:** Erasmus University Medical Center (Erasmus MC)

Images:

#### **Tool details**

#### \*FOR RESEARCH USE ONLY

Name: ZR-75-1 [XIV-9] cell line

Alternate name:

Class:

Conjugate:

Cancer Tools.org **Description:** Breast cancer is widely and effectively treated with endocrine treatment. However, in many cases the tumours will eventually progress into an estrogen-independent and therapy-resistant phenotype. Retroviral insertion mutagenesis was used to generate this cell line in order to elucidate the molecular mechanisms underlaying endocrine therapy failure. Using this method the main genes conferring estrogen independence in human breast cancer cells where identified. Genes located in the immediate pr...

**Purpose:** 

Parental cell: ZR-75-1 **Organism:** Human Tissue: Breast

Model: Cancer Model

Gender: Isotype: Reactivity: **Selectivity:** Host:

Immunogen:

**Immunogen UNIPROT ID:** 

Sequence:

**Growth properties:** 

Production details: ZR-75-1 cells were infected with amphotropic, defective murine retrovirus and

plated in medium containing 1uM of 4-hydroxy-tamoxifen. Within 5 weeks after the start of selection proliferating colonies were individually picked and expanded to stable cell lines

Formulation:

Recommended controls:

**Bacterial resistance:** 

Selectable markers:

Additional notes: Cell line with unique integration event in the following gene which is the most likely cause for estrogen independence: HGD

## **Target details**

Target: Breast cancer anti-estrogen resistance genes

**Target alternate names:** 

**Target background:** 

Molecular weight:

Ic50:

# **Applications**

**Application:** 

ancer Tools.org Application notes: As a consequence of the presence of a BCAR genes, these cells can also proliferate in the absence of estrogen or even in the presence of anti-estrogens.

# **Handling**

Format: Frozen **Concentration:** Passage number:

Growth medium: RPMI 1640 medium supplemented with 10% heat-inactivated bovine calf serum

(RBCS)

**Temperature: Atmosphere:** Volume:

Storage medium: Storage buffer:

Storage conditions: Liquid Nitrogen

Shipping conditions: Dry ice

#### Related tools

#### **Related tools:**

## References

References: van Agthoven et al. 2009. Breast Cancer Res Treat. 114(1):23-30. PMID: 18351453.

